# BEAR Varimixer<sup>TM</sup> RN10 VL-2 AND RN20 VL-2



# **RN10 VL-2**

Scraping tools are extra accessories.

Essential features of the new 10- and 20-litre BEAR Varimixer machines, RN10 and RN20, have been improved inside and out. Brand-new motors and new control systems make them more powerful than ever and they run faster at top speed. The standard model of both machines is now in stainless steel and the three tools - whip, beater and hook - are also in stainless steel. Finally, the latest new feature is the Vari-Logic control panel with a REMIX™ function that makes it possible to develop your own work programs.



## CONTROL PANEL WITH REMIX™

#### RN10 VL-2



RN20 VL-2



The new electronic Vari-Logic control panel enables the speed to be adjusted to the individual task. In addition, there are four fixed speed programs, each of which can be fine-tuned individually, and a 60-minute timer for entering the mixing time.

Another new feature is the REMIX™ function that makes it possible to save up to four programs

Finally, there is an emergency stop button and a one-button operation of starting and stopping, as well as a pause function for inspecting your work during the process.

- A. Start/Stop
- B. Variable speed
- C. Four fixed speed programs
- Timer
- E. REMIX™
- Pause
- G. Emergency stop
- \*. Attachment drive is an extra accessory

The functions on the two panels are identical

## STANDARD AND EXTRA ACCESSORIES

#### THE RN10 VL-2 AND RN20 VL-2 ARE AVAILABLE AS A STANDARD TABLE OR FLOOR MODEL WITH THE FOLLOWING ACCESSORIES:



\* Standard in some countries

STAINLESS STEEL BOWL. The standard bowl is made of stainless steel and pressed in one piece.

STAINLESS STEEL HOOK MAKES A PERFECT DOUGH. The solid hook is incredibly strong and designed to constantly work the dough downward in the bowl. This provides a correct kneading process, keeping the dough even, supple and coherent.

STAINLESS STEEL WHIP THAT IS EASY TO CLEAN. The whip is made with wires and bayonet in stainless steel making it hygienic and easy to clean. The geometric design enables it to handle a large volume in an incredibly short time.

### STAINLESS STEEL BEATER THAT GETS TO THE VERY BOTTOM OF THE BOWL.

The specially designed beater with stainless steel bayonet has propeller shaped crossbars. This results in efficient, rapid mixing of the product. As the beater reaches all the way to the bottom and close to the sides of the bowl, no unmixed ingredients are left at the end of the process.

RN10 VL-2 ATTACHMENT DRIVE, 10 L. The RN10 VL-2 is available with 2 different attachment drive sizes.

- 1) Attachment drive designed for 62 mm meat mincer and 3VC vegetable cutter.
- 2) Attachment drive designed for 70 mm meat mincer and GR10 vegetable cutter.

RN20 VL-2 ATTACHMENT DRIVE, 20 L. The RN20 VL-2 is available with a standard sized attachment drive, designed for the 82 mm and/or 70 mm meat mincer, and the GR20 vegetable cutter.




Stainless steel dough hook







Reater in stainless steel



Feed funnel

# **RN20 VL-2**





**EXTRA ACCESSORIES FOR RN20 VL2** 

**SMALL BOWL.** A small bowl is also available for the RN20 machine in sizes: 20/12 L - B bowl.

The three tools - beater, whip and hook - are available for B bowls as a set or separately.

ATTACHMENT DRIVE is an extra accessory.

Vegetable cutters and meat mincers can be attached to it.

**SCRAPER HOLDER** and accompanying tools are extra accessories.


#### THE SCRAPER IS AN EFFECTIVE EXTRA ACCESSORY.

It physically scrapes the sides of the bowl and makes manual scraping unnecessary at the same time. This increases your utilisation of the ingredients by providing greater volume and automatically reduces the mixing time. The stainless steel scraping tool, which is patented, has a scraper blade that is detachable without the use of tools, which optimises cleaning, not to mention hygiene.

The scraper blade is available in nylon or heat-resistant Teflon - both approved for use with food products.









20 L or 12 L scraper

## SPECIAL ACCESSORIES RN20 VL-2



A Removable stainless-steel grid safety guard. B Removable plastic safety guard. C Stainless-steel grid safety guard for permanent attachment. D Plastic safety guard for permanent attachment. E Closed anti-splash guard in stainless steel. F Wing whip no. 14, 100% stainless steel (for heavy ingredients). G Powder mixer, no. 39 in stainless steel. H Rack, no. 48 for mixing tools, available in 2 sizes; 10 - 40 L and 60 - 200 L. I Bowl no. 18 with jacket for water/steam (max. 1/2 atm.) for heating or cooling the bowl's contents. J Electric heating-jacket bowl, no. 12, for water or oil. With separate adjustment of heat temperature. K Meat mincer, 62 mm. For RN10 VL-2 only. L Meat mincer, 70 mm. Can also be used for RN10 VL-2. M Meat mincer, 82 mm. N Vegetable cutter 3VC. For RN10 VL-2 only. O Vegetable cutter, GR10 and GR20.


## CAPACITY RN10 VL-2 AND RN20 VL-2

MIXER CAPACITY (approx. specifications)			MEAT MINCER CAPACITY (approx. specifications)			
	10L machine	20L machine				
Egg white 1 L = 30 eggs	1 L	2 L		RN10 VL-2	RN20 VL-2	
Whipped cream	4.5 L	9 L	70 mm meat mincer	160 kg meat/hour	160 kg meat/hour	
Mayonnaise (L of oil)	5 L	9 L	82 mm meat mincer	N.A.	440 kg meat/hour	
Mashed potatoes	5 kg	10 kg				
Pie crust	4.5 kg	8-10 kg				
Bread dough (50%)	4.5 kg	9 kg				
Sponge cake	6 kg	12 kg				


## VEGETABLE CUTTER CAPACITY (approx. specifications): GR10 and GR20

Slicing	Produce	Capacity	Filling hole
S1 - Slicing disc, 1 mm	Carrots	Up to 60 kg/hour	Small filling hole
S2 - Slicing disc, 2 mm	Carrots	Up to 120 kg/hour	Small filling hole
S3 - Slicing disc, 3 mm	Potatoes	Up to 340 kg/hour	Large filling hole
53 - Slicing disc, 3 mm	Carrots	Up to 200 kg/hour	Small filling hole
Shredding			
R2 - Shredding disc, 2 mm	Carrots	Up to 200 kg/hour	Large filling hole
R3 - Shredding disc, 3 mm	Carrots/celeriac	Up to 200 kg/hour	Large filling hole
R9 - Shredding disc, 9 mm	Carrots	Up to 400 kg/hour	Large filling hole


#### RN10 VL-2 FLOOR MODEL




## RN10 VL- 2 TABLE MODEL



#### RN20 VL-2 FLOOR MODEL



## RN20 VL-2 TABLE MODEL



## **SPECIFICATIONS**

DIMENSIONS MM						
A Floor model	10L	1180	A Floor model 20L 1286			
B Floor model	10L	1495	B Floor model 20L 1415			
C Floor model	10L	606	C Floor model 20L 720			
D Floor model	1OL	548	D Floor model 20L 566			
A Table model	10L	639	A Table model 20L 885			
B Table model	10L	869	B Table model 20L 1058			
C Table model	10L	592	C Table model 20L 667			
D Table model	10L	369	D Table model 20L 450			

TECHNICAL DATA					
			10L		20L
MOTOR KW			0.7		1.2
VOLTAGE			230V / 110V	230V	/ 110V
PHASES			1ph		1ph
TOOL SPEED, REVOLUTIONS			min. 110	100	min. 98
TOOL SPEED, REVOLUTIONS			max. 420	m	ах. 375
GROSS WEIGHT Floor model	10L	70 kg			
GROSS WEIGHT Table model	10L	60 kg			
NET WEIGHT Floor model	10L	60 kg			
NET WEIGHT Table model	10L	52 kg			
GROSS WEIGHT Floor model	20L 1	123 kg	w. attachment	drive	128 kg
GROSS WEIGHT Table model	20L 1	108 kg	w. attachment	drive	113 kg
NET WEIGHT Floor model	20L	98 kg	w. attachment	drive	115 kg
NET WEIGHT Table model	20L	92 kg	w. attachment	drive	97 kg

## Manufacturer:



#### A/S Wodschow & Co.

Industrisvinget 6

DK-2605 Brøndby, Denmark
Phone: +45 43 44 22 88
Fax: +45 43 43 12 80
E-mail: info@wodschow.dk

www.bearvarimixer.com

### Distributor: